

## **Transformation Rules**

**for**

# **PIX Summary By Severity Level Report**

## Table of Contents

1. PIX-3-106011.....	3
2. PIX-3-313001.....	3
3. PIX-4-106023.....	4
4. PIX-6-302002.....	4
5. PIX-6-302005 or PIX-6-302006.....	5
6. PIX-5-304001.....	5

## 1. PIX-3-106011

Original Message	Transformed Message if Remove IP is not selected	Transformed Message if Remove IP is selected
%PIX-3-106011: Deny inbound (No xlate) tcp src outside:211.197.63.43/3310 dst outside:217.6.190.190/1080	%PIX-3-106011: Deny inbound (No xlate) tcp src outside:211.197.63.43/xxxx dst outside:217.6.190.190/1080	%PIX-3-106011: Deny inbound (No xlate) tcp src outside:xxxx/xxxx dst outside:217.6.190.190/1080
%PIX-3-106011: Deny inbound (No xlate) icmp src outside:62.134.76.156 dst outside:217.6.190.190 (type 8, code 0)	Not applicable	%PIX-3-106011: Deny inbound (No xlate) icmp src outside:xxxx dst outside:217.6.190.190 (type 8, code 0)

## 2. PIX-3-313001

Original Message	Transformed Message if Remove IP is not selected	Transformed Message if Remove IP is selected
%PIX-3-313001: Denied ICMP type=8, code=0 from 212.248.4.75 on interface 0	Not applicable	%PIX-3-313001: Denied ICMP type=8, code=0 from xxxx on interface 0

### 3. PIX-4-106023

Original Message	Transformed Message if Remove IP is not selected	Transformed Message if Remove IP is selected
%PIX-4-106023: Deny tcp src outside:123.456.789.99/1234 dst inside:217.6.190.187/8814 by access-group "outside_access_in"	%PIX-4-106023: Deny tcp src outside:123.456.789.99/xxxx dst inside:217.6.190.187/8814 by access-group "outside_access_in"	%PIX-4-106023: Deny tcp src outside:xxxx/xxxx dst inside:217.6.190.187/8814 by access-group "outside_access_in"
%PIX-4-106023: Deny udp src inside:192.168.46.21/123 dst outside:217.6.190.187/1234 by access- group "inside_access_in"	%PIX-4-106023: Deny udp src inside:192.168.46.21/123 dst outside:217.6.190.187/xxxx by access- group "inside_access_in"	%PIX-4-106023: Deny udp src inside:192.168.46.21/123 dst outside:xxxx/xxxx by access-group "inside_access_in"
%PIX-4-106023: Deny icmp src outside:62.134.72.160 dst inside:217.6.190.187 (type 8, code 0) by access-group "outside_access_in"	Not applicable	Deny icmp src outside: xxxx dst inside:217.6.190.187 (type 8, code 0) by access-group "outside_access_in"

### 4. PIX-6-302002

Original Message	Transformed Message if Remove IP is not selected	Transformed Message if Remove IP is selected
%PIX-6-302002: Teardown TCP connection 414138 faddr 67.98.73.22/80 gaddr 217.6.190.187/43104 laddr 172.19.0.3/43104 duration 0:00:01 bytes 974 (TCP Reset-I)	Teardown TCP connection xxxx faddr 67.98.73.22/80 gaddr 217.6.190.187/xxxx laddr 172.19.0.3/xxxx duration xxxx bytes xxxx (TCP xxxx)	Teardown TCP connection xxxx faddr 67.98.73.22/80 gaddr xxxx/xxxx laddr xxxx/xxxx duration xxxx bytes xxxx (TCP xxxx)

## 5. PIX-6-302005 or PIX-6-302006

Original Message	Transformed Message if Remove IP is not selected	Transformed Message if Remove IP is selected
%PIX-6-302005: Built UDP connection for faddr 62.2.24.158/61394 gaddr 217.6.190.187/53 laddr 172.19.0.3/53	%PIX-6-302005: Built UDP connection for faddr 62.2.24.158/xxxx gaddr 217.6.190.187/53 laddr 172.19.0.3/53	%PIX-6-302005: Built UDP connection for faddr xxxx/xxxx gaddr 217.6.190.187/53 laddr 172.19.0.3/53
%PIX-6-302006: Teardown UDP connection for faddr 192.168.155.90/1234 gaddr 217.6.190.186/8144 laddr 172.19.0.5/26780	%PIX-6-302006: Teardown UDP connection for faddr 192.168.155.90/xxxx gaddr 217.6.190.186/8144 laddr 172.19.0.5/26780	%PIX-6-302006: Teardown UDP connection for faddr xxxx/xxxx gaddr 217.6.190.186/8144 laddr 172.19.0.5/26780

## 6. PIX-5-304001

Original Message	Transformed Message if Remove URL is not selected	Transformed Message if Remove URL is selected
%PIX-5-304001: 172.19.0.3 Accessed URL 67.98.73.22:/templates/includes/graphics/search_02.gif	Message remains same. No change	%PIX-5-304001: 172.19.0.3 Accessed URL xxxx